



## CS425 – Fall 2013 Boris Glavic Chapter 7: Entity-Relationship Model

Partially taken from  
Klaus R. Dittrich

modified from:  
Database System Concepts, 6<sup>th</sup> Ed.  
©Silberschatz, Korth and Sudarshan  
See [www.db-book.com](http://www.db-book.com) for conditions on reuse



## Chapter 7: Entity-Relationship Model

- Design Process
- Modeling
- Constraints
- E-R Diagram
- Design Issues
- Weak Entity Sets
- Extended E-R Features
- Design of the Bank Database
- Reduction to Relation Schemas
- Database Design
- UML


CS425 – Fall 2016 – Boris Glavic

7.2

©Silberschatz, Korth and Sudarshan



## Database Design



CS425 – Fall 2016 – Boris Glavic


7.3

©Silberschatz, Korth and Sudarshan



## Database Design

- First: need to develop a "mind"-model based on a requirement analysis



CS425 – Fall 2016 – Boris Glavic

7.4

©Silberschatz, Korth and Sudarshan



## Requirement Analysis Example Zoo

- The zoo stores information about animals, cages, and zoo keepers.
- Animals are of a certain species and have a name. For each animal we want to record its weight and age.
- Each cage is located in a section of the zoo. Cages can house animals, but there may be cages that are currently empty. Cages have a size in square meter.
- Zoo keepers are identified by their social security number. We store a first name, last name, and for each zoo keeper. Zoo keepers are assigned to cages they have to take care of (clean, ...). Each cage that is not empty has a zoo keeper assigned to it. A zoo keeper can take care of several cages. Each zoo keeper takes care of at least one cage.

CS425 – Fall 2016 – Boris Glavic

7.5

©Silberschatz, Korth and Sudarshan





## Requirement Analysis Example Music Collection

- Let's do it!

CS425 – Fall 2016 – Boris Glavic

7.6

©Silberschatz, Korth and Sudarshan



- ## Modeling – ER model
- A *database* can be modeled as:
    - a collection of entities,
    - relationship among entities.
  - An **entity** is an object that exists and is distinguishable from other objects.
    - Example: specific person, company, event, plant
  - Entities have **attributes**
    - Example: people have *names* and *addresses*
  - An **entity set** is a set of entities of the same type that share the same properties.
    - Example: set of all persons, companies, trees, holidays
- CS425 – Fall 2016 – Boris Glavic 7.9 ©Silberschatz, Korth and Sudarshan


## Entity Sets *instructor* and *student*

instructor_ID	instructor_name	student-ID	student_name
76766	Crick	98988	Tanaka
45565	Katz	12345	Shankar
10101	Srinivasan	00128	Zhang
98345	Kim	76543	Brown
76543	Singh	76653	Aoi
22222	Einstein	23121	Chavez
		44553	Peltier

*instructor* *student*

CS425 – Fall 2016 – Boris Glavic 7.10 ©Silberschatz, Korth and Sudarshan

- ## Relationship Sets
- A **relationship** is an association among several entities
- Example:
- |                       |                  |                          |
|-----------------------|------------------|--------------------------|
| 44553 (Peltier)       | <i>advisor</i>   | 22222 (Einstein)         |
| <i>student</i> entity | relationship set | <i>instructor</i> entity |
- A **relationship set** is a mathematical relation among  $n \geq 2$  entities, each taken from entity sets
 
$$\{(e_1, e_2, \dots, e_n) \mid e_1 \in E_1, e_2 \in E_2, \dots, e_n \in E_n\}$$
 where  $(e_1, e_2, \dots, e_n)$  is a relationship
    - Example:  $(44553, 22222) \in \textit{advisor}$
- CS425 – Fall 2016 – Boris Glavic 7.11 ©Silberschatz, Korth and Sudarshan



### Relationship Sets (Cont.)

- An **attribute** can also be property of a relationship set.
- For instance, the *advisor* relationship set between entity sets *instructor* and *student* may have the attribute *date* which tracks when the student started being associated with the advisor

76766	Crick
45565	Katz
10101	Srinivasan
98345	Kim
76543	Singh
22222	Einstein

*instructor*

98988	Tanaka
12345	Shankar
00128	Zhang
76543	Brown
76653	Aoi
23121	Chavez
44553	Peltier

*student*

Relationships (date):  
 Crick to Tanaka (3 May 2008)  
 Katz to Shankar (10 June 2007)  
 Srinivasan to Zhang (12 June 2006)  
 Kim to Brown (6 June 2009)  
 Singh to Aoi (30 June 2007)  
 Einstein to Chavez (31 May 2007)  
 Einstein to Peltier (4 May 2006)

CS425 - Fall 2016 - Boris Glavic 7.13 ©Silberschatz, Korth and Sudarshan

### Degree of a Relationship Set

- binary relationship**
  - involve two entity sets (or degree two).
- Relationships between more than two entity sets are rare. Most relationships are binary. (More on this later.)
  - Example: *students* work on research *projects* under the guidance of an *instructor*.
  - relationship *proj\_guide* is a ternary relationship between *instructor*, *student*, and *project*

CS425 - Fall 2016 - Boris Glavic 7.14 ©Silberschatz, Korth and Sudarshan

### Attributes

- An entity is represented by a set of attributes, that are descriptive properties possessed by all members of an entity set.
  - Example:  
*instructor* = (*ID*, *name*, *street*, *city*, *salary*)  
*course* = (*course\_id*, *title*, *credits*)
- Domain** - the set of permitted values for each attribute
- Attribute types:
  - Simple** and **composite** attributes.
  - Single-valued** and **multivalued** attributes
    - Example: multivalued attribute: *phone\_numbers*
  - Derived** attributes
    - Can be computed from other attributes
    - Example: *age*, given *date\_of\_birth*

CS425 - Fall 2016 - Boris Glavic 7.15 ©Silberschatz, Korth and Sudarshan

### Composite Attributes

composite attributes: *name*, *address*

component attributes: *first\_name*, *middle\_initial*, *last\_name*, *street\_number*, *street\_name*, *apartment\_number*, *city*, *state*, *postal\_code*

CS425 - Fall 2016 - Boris Glavic 7.16 ©Silberschatz, Korth and Sudarshan

### Mapping Cardinality Constraints

- Express the number of entities to which another entity can be associated via a relationship set.
- For a binary relationship set the mapping cardinality must be one of the following types:
  - One to one (1-1)
  - One to many (1-N)
  - Many to one (N-1)
  - Many to many (N-M)

CS425 - Fall 2016 - Boris Glavic 7.17 ©Silberschatz, Korth and Sudarshan

### Mapping Cardinalities

(a) One to one

(b) One to many

Note: Some elements in *A* and *B* may not be mapped to any elements in the other set

CS425 - Fall 2016 - Boris Glavic 7.18 ©Silberschatz, Korth and Sudarshan

### Mapping Cardinalities Example

**Person**     **Birth certificate**

A                    B

(a)

One to one

**Advisor**     **Student**

A                    B

(b)

One to many

Note: Some elements in A and B may not be mapped to any elements in the other set

CS425 – Fall 2016 – Boris Glavic     7.19     ©Silberschatz, Korth and Sudarshan

### Mapping Cardinalities

A                    B

(a)

Many to one

A                    B

(b)

Many to many

Note: Some elements in A and B may not be mapped to any elements in the other set

CS425 – Fall 2016 – Boris Glavic     7.20     ©Silberschatz, Korth and Sudarshan

### Mapping Cardinalities Example

**Employee**     **Department**

A                    B

(a)

Many to one

**Student**     **Course**

A                    B

(b)

Many to many

Note: Some elements in A and B may not be mapped to any elements in the other set

CS425 – Fall 2016 – Boris Glavic     7.21     ©Silberschatz, Korth and Sudarshan

### Mapping Cardinality Constraints Cont.

- What if we allow some elements to not be mapped to another element?
  - E.g., 0:1 – 1
- For a binary relationship set the mapping cardinality must be one of the following types:
 

<ul style="list-style-type: none"> <li>■ <b>1-1</b></li> <li>● 0:1-1</li> <li>● 0:1-1</li> <li>● 1-0:1</li> <li>● 0:1-0:1</li> </ul>	<ul style="list-style-type: none"> <li>■ <b>N-1</b></li> <li>● N-1</li> <li>● N-0:1</li> <li>● 0:N-1</li> <li>● 0:N-0:1</li> </ul>
<ul style="list-style-type: none"> <li>■ <b>1-N</b></li> <li>● 0:1-N</li> <li>● 0:1-0:N</li> <li>● 1-N</li> <li>● 1-0:N</li> </ul>	<ul style="list-style-type: none"> <li>■ <b>N-M</b></li> <li>● N-M</li> <li>● N-0:M</li> <li>● 0:N-M</li> <li>● 0:N-0:M</li> </ul>

CS425 – Fall 2016 – Boris Glavic     7.22     ©Silberschatz, Korth and Sudarshan

### Mapping Cardinality Constraints Cont.

- Typical Notation
  - (0:1) – (1:N)

CS425 – Fall 2016 – Boris Glavic     7.23     ©Silberschatz, Korth and Sudarshan

### Keys

- A **super key** of an entity set is a set of one or more attributes whose values uniquely determine each entity.
- A **candidate key** of an entity set is a minimal super key
  - *ID* is candidate key of *instructor*
  - *course\_id* is candidate key of *course*
- Although several candidate keys may exist, one of the candidate keys is selected to be the **primary key**.
- **Note: Basically the same as for relational model**

CS425 – Fall 2016 – Boris Glavic     7.24     ©Silberschatz, Korth and Sudarshan

## Keys for Relationship Sets

- The combination of primary keys of the participating entity sets forms a super key of a relationship set.
  - $(s\_id, i\_id)$  is the super key of *advisor*
  - **NOTE:** this means **a pair of entities can have at most one relationship in a particular relationship set.**
    - Example: if we wish to track multiple meeting dates between a student and her advisor, we cannot assume a relationship for each meeting. We can use a multivalued attribute though or model meeting as a separate entity
- Must consider the mapping cardinality of the relationship set when deciding what are the candidate keys
- Need to consider semantics of relationship set in selecting the *primary key* in case of more than one candidate key

CS425 – Fall 2016 – Boris Glavic 7.25 ©Silberschatz, Korth and Sudarshan

## Keys for Relationship Sets Cont.

- Must consider the mapping cardinality of the relationship set when deciding what are the candidate keys
  - 1-1: both primary keys are candidate keys
    - Example: **hasBc:** (Person-Birthcertificate)
  - N-1: the N side is the candidate key
    - Example: **worksFor:** (Instructor-Department)
  - N-M: the combination of both primary keys
    - Example: **takes:** (Student-Course)

CS425 – Fall 2016 – Boris Glavic 7.26 ©Silberschatz, Korth and Sudarshan

## Redundant Attributes

- Suppose we have entity sets
  - *instructor*, with attributes including *dept\_name*
  - *department*
 and a relationship
  - *inst\_dept* relating *instructor* and *department*
- Attribute *dept\_name* in entity *instructor* is redundant since there is an explicit relationship *inst\_dept* which relates instructors to departments
  - The attribute replicates information present in the relationship, and should be removed from *instructor*
  - BUT: when converting back to tables, in some cases the attribute gets reintroduced, as we will see.

CS425 – Fall 2016 – Boris Glavic 7.27 ©Silberschatz, Korth and Sudarshan

## E-R Diagrams

- Rectangles represent entity sets.
- Diamonds represent relationship sets.
- Attributes listed inside entity rectangle
- Underline indicates primary key attributes

CS425 – Fall 2016 – Boris Glavic 7.28 ©Silberschatz, Korth and Sudarshan

## Entity With Composite, Multivalued, and Derived Attributes

*instructor*

ID  
name  
first\_name  
middle\_initial  
last\_name  
address  
street  
street\_number  
street\_name  
apt\_number  
city  
state  
zip  
{ phone\_number }  
date\_of\_birth  
age ( )

CS425 – Fall 2016 – Boris Glavic 7.29 ©Silberschatz, Korth and Sudarshan

## Entity With Composite, Multivalued, and Derived Attributes

*instructor*







ID  
name  
first\_name  
middle\_initial  
last\_name  
address  
street  
street\_number  
street\_name  
apt\_number  
city  
state  
zip  
{ phone\_number }  
date\_of\_birth  
age ( )

Multi-valued → { phone\_number }

→ composite (first\_name, middle\_initial, last\_name)

→ derived (age ( ))

CS425 – Fall 2016 – Boris Glavic 7.30 ©Silberschatz, Korth and Sudarshan



### Many-to-Many Relationship

- An instructor is associated with several (possibly 0) students via *advisor*
- A student is associated with several (possibly 0) instructors via *advisor*

CS425 – Fall 2016 – Boris Glavic 7.37 ©Silberschatz, Korth and Sudarshan

### Participation of an Entity Set in a Relationship Set

- Total participation (indicated by double line): every entity in the entity set participates in at least one relationship in the relationship set
  - E.g., participation of *section* in *sec\_course* is total
    - every *section* must have an associated course
- Partial participation: some entities may not participate in any relationship in the relationship set
  - Example: participation of *instructor* in *advisor* is partial

CS425 – Fall 2016 – Boris Glavic 7.38 ©Silberschatz, Korth and Sudarshan

### Alternative Notation for Cardinality Limits

- Cardinality limits can also express participation constraints

CS425 – Fall 2016 – Boris Glavic 7.39 ©Silberschatz, Korth and Sudarshan

### Alternative Notation for Cardinality Limits

- Alternative Notation

CS425 – Fall 2016 – Boris Glavic 7.40 ©Silberschatz, Korth and Sudarshan

### E-R Diagram with a Ternary Relationship

CS425 – Fall 2016 – Boris Glavic 7.41 ©Silberschatz, Korth and Sudarshan


### Cardinality Constraints on Ternary Relationship

- We allow at most one arrow out of a ternary (or greater degree) relationship to indicate a cardinality constraint
- E.g., an arrow from *proj\_guide* to *instructor* indicates each student has at most one guide for a project
- If there is more than one arrow, there are two ways of defining the meaning.
  - E.g., a ternary relationship *R* between *A*, *B* and *C* with arrows to *B* and *C* could mean
    - each *A* entity is associated with a unique entity from *B* and *C*
    - each pair of entities from (*A*, *B*) is associated with a unique *C* entity, and each pair (*A*, *C*) is associated with a unique *B*
  - Each alternative has been used in different formalisms
  - To avoid confusion we outlaw more than one arrow
- Better to use cardinality constraints such as (0,n)

CS425 – Fall 2016 – Boris Glavic 7.42 ©Silberschatz, Korth and Sudarshan








## Reduction to Relational Schemas


CS425 – Fall 2016 – Boris Glavic 7.49  
©Silberschatz, Korth and Sudarshan



## Reduction to Relation Schemas


- Entity sets and relationship sets can be expressed uniformly as *relation schemas* that represent the contents of the database.
- A database which conforms to an E-R diagram can be represented by a collection of relation schemas.
- For each entity set and relationship set there is a unique relation schema that is assigned the name of the corresponding entity set or relationship set.

CS425 – Fall 2016 – Boris Glavic 7.50  
©Silberschatz, Korth and Sudarshan




## Representing Entity Sets With Simple Attributes

- A strong entity set reduces to a schema with the same attributes *student*(ID, name, tot\_cred)
- A weak entity set becomes a table that includes a column for the primary key of the identifying strong entity set *section* ( course\_id, sec\_id, sem, year )




CS425 – Fall 2016 – Boris Glavic 7.51  
©Silberschatz, Korth and Sudarshan




## Representing Relationship Sets

- A many-to-many relationship set is represented as a schema with attributes for the primary keys of the two participating entity sets, and any descriptive attributes of the relationship set.
- Example: schema for relationship set *advisor*  
*advisor* = ( s\_id, i\_id )




CS425 – Fall 2016 – Boris Glavic 7.52  
©Silberschatz, Korth and Sudarshan




## Redundancy of Schemas

- Many-to-one and one-to-many relationship sets that are total on the many-side can be represented by adding an extra attribute to the "many" side, containing the primary key of the "one" side
- Example: Instead of creating a schema for relationship set *inst\_dept*, add an attribute *dept\_name* to the schema arising from entity set *instructor*



CS425 – Fall 2016 – Boris Glavic 7.53  
©Silberschatz, Korth and Sudarshan



## Redundancy of Schemas (Cont.)

- For one-to-one relationship sets, either side can be chosen to act as the "many" side
  - That is, extra attribute can be added to either of the tables corresponding to the two entity sets
  - If the relationship is total in both sides, the relation schemas from the two sides can be merged into one schema
- If participation is *partial* on the "many" side, replacing a schema by an extra attribute in the schema corresponding to the "many" side could result in null values
- The schema corresponding to a relationship set linking a weak entity set to its identifying strong entity set is redundant.
  - Example: The *section* schema already contains the attributes that would appear in the *sec\_course* schema

CS425 – Fall 2016 – Boris Glavic 7.54  
©Silberschatz, Korth and Sudarshan

## Composite and Multivalued Attributes

instructor
ID
name
first_name
middle_initial
last_name
address
street
street_number
street_name
apt_number
city
state
zip
{ phone_number }
date_of_birth
age ( )

- Composite attributes are flattened out by creating a separate attribute for each component attribute
  - Example: given entity set *instructor* with composite attribute *name* with component attributes *first\_name* and *last\_name* the schema corresponding to the entity set has two attributes *name\_first\_name* and *name\_last\_name*
    - Prefix omitted if there is no ambiguity
- Ignoring multivalued attributes, extended instructor schema is
  - *instructor*(ID, first\_name, middle\_initial, last\_name, street\_number, street\_name, apt\_number, city, state, zip\_code, date\_of\_birth)

CS425 - Fall 2016 - Boris Glavic 7.55 ©Silberschatz, Korth and Sudarshan

## Composite and Multivalued Attributes

- A multivalued attribute *M* of an entity *E* is represented by a separate schema *EM*
  - Schema *EM* has attributes corresponding to the primary key of *E* and an attribute corresponding to multivalued attribute *M*
  - Example: Multivalued attribute *phone\_number* of *instructor* is represented by a schema: *inst\_phone* = ( *ID*, *phone\_number* )
  - Each value of the multivalued attribute maps to a separate tuple of the relation on schema *EM*
    - For example, an *instructor* entity with primary key 22222 and phone numbers 456-7890 and 123-4567 maps to two tuples: (22222, 456-7890) and (22222, 123-4567)

CS425 - Fall 2016 - Boris Glavic 7.56 ©Silberschatz, Korth and Sudarshan

## Multivalued Attributes (Cont.)

- Special case: entity *time\_slot* has only one attribute other than the primary-key attribute, and that attribute is multivalued
  - Optimization: Don't create the relation corresponding to the entity, just create the one corresponding to the multivalued attribute
  - *time\_slot*(*time\_slot\_id*, *day*, *start\_time*, *end\_time*)
  - Caveat: *time\_slot* attribute of *section* (from *sec\_time\_slot*) cannot be a foreign key due to this optimization

CS425 - Fall 2016 - Boris Glavic 7.57 ©Silberschatz, Korth and Sudarshan

## Design Issues

- Use of entity sets vs. attributes
 
  - Designing phone as an entity allow for primary key constraints for phone
  - Designing phone as an entity allow phone numbers to be used in relationships with other entities (e.g., student)
  - Use of phone as an entity allows extra information about phone numbers

CS425 - Fall 2016 - Boris Glavic 7.58 ©Silberschatz, Korth and Sudarshan

## Design Issues

- Use of entity sets vs. relationship sets
  - Possible guideline is to designate a relationship set to describe an action that occurs between entities
  - Possible hint: the relationship only relates entities, but does not have an existence by itself. E.g., hasAddress: (department-address)

CS425 - Fall 2016 - Boris Glavic 7.59 ©Silberschatz, Korth and Sudarshan

## Design Issues

- Binary versus n-ary relationship sets
  - Although it is possible to replace any nonbinary (*n*-ary, for *n* > 2) relationship set by a number of distinct binary relationship sets + an artificial entity set, a *n*-ary relationship set shows more clearly that several entities participate in a single relationship.
- Placement of relationship attributes
  - e.g., attribute *date* as attribute of *advisor* or as attribute of *student*
  - Does not work for *N-M* relationships!

CS425 - Fall 2016 - Boris Glavic 7.60 ©Silberschatz, Korth and Sudarshan



## Binary Vs. Non-Binary Relationships

- Some relationships that appear to be non-binary may be better represented using binary relationships
  - E.g., A ternary relationship *parents*, relating a child to his/her father and mother, is best replaced by two binary relationships, *father* and *mother*
    - Using two binary relationships allows partial information (e.g., only mother being known)
  - But there are some relationships that are naturally non-binary
    - Example: *proj\_guide*

CS425 – Fall 2016 – Boris Glavic


7.61

©Silberschatz, Korth and Sudarshan



## Converting Non-Binary Relationships to Binary Form

- In general, any non-binary relationship can be represented using binary relationships by creating an artificial entity set.
  - Replace  $R$  between entity sets  $A$ ,  $B$  and  $C$  by an entity set  $E$ , and three relationship sets:
    - $R_A$ , relating  $E$  and  $A$
    - $R_B$ , relating  $E$  and  $B$
    - $R_C$ , relating  $E$  and  $C$
  - Create a special identifying attribute for  $E$
  - Add any attributes of  $R$  to  $E$
  - For each relationship  $(a, b, c)$  in  $R$ , create
    - a new entity  $e_i$  in the entity set  $E$
    - add  $(e_i, a)$  to  $R_A$
    - add  $(e_i, b)$  to  $R_B$
    - add  $(e_i, c)$  to  $R_C$



CS425 – Fall 2016 – Boris Glavic

7.62

©Silberschatz, Korth and Sudarshan



## Converting Non-Binary Relationships (Cont.)

- Also need to translate constraints
  - Translating all constraints may not be possible
  - There may be instances in the translated schema that cannot correspond to any instance of  $R$ 
    - Exercise: add constraints to the relationships  $R_A$ ,  $R_B$  and  $R_C$  to ensure that a newly created entity corresponds to exactly one entity in each of entity sets  $A$ ,  $B$  and  $C$
  - We can avoid creating an identifying attribute by making  $E$  a weak entity set (described shortly) identified by the three relationship sets

CS425 – Fall 2016 – Boris Glavic


7.63

©Silberschatz, Korth and Sudarshan



## Converting Non-Binary Relationships: Is the New Entity Set E Necessary?

- Yes, because a non-binary relationship stores more information than any number of binary relationships
  - Consider again the example (a) below
  - Replace  $R$  with three binary relationships:
    - $R_{AB}$ , relating  $A$  and  $B$
    - $R_{BC}$ , relating  $B$  and  $C$
    - $R_{AC}$ , relating  $A$  and  $C$
  - For each relationship  $(a, b, c)$  in  $R$ , create
    - add  $(a, b)$  to  $R_{AB}$
    - add  $(b, c)$  to  $R_{BC}$
    - add  $(a, c)$  to  $R_{AC}$
  - Consider  $R = \text{order}$ ,  $A = \text{supplier}$ ,  $B = \text{item}$ ,  $C = \text{customer}$   
 (Gunnar, chainsaw, Bob) – Bob ordered a chainsaw from Gunnar  
 ->  
 (Gunnar, chainsaw), (chainsaw, Bob), (Gunnar, Bob)  
 Gunnar supplies chainsaws, Bob ordered a chainsaw, Bob ordered something from Gunnar. E.g., we do not know what Bob ordered from Gunnar.



CS425 – Fall 2016 – Boris Glavic

7.64

©Silberschatz, Korth and Sudarshan



## ER-model to Relational Summary

- Rule 1) Strong entity  $E$** 
  - Create relation with attributes of  $E$
  - Primary key is equal to the PK of  $E$
- Rule 2) Weak entity  $W$  identified by  $E$  through relationship  $R$** 
  - Create relation with attributes of  $W$  and  $R$  and  $PK(E)$ .
  - Set PK to discriminator attributes combined with  $PK(E)$ .  $PK(E)$  is a foreign key to  $E$ .
- Rule 3) Binary relationship  $R$  between  $A$  and  $B$ : one-to-one**
  - If no side is total add PK of  $A$  to as foreign key in  $B$  or the other way around. Add any attributes of the relationship  $R$  to  $A$  respective  $B$ .
  - If one side is total add PK of the other-side as foreign key. Add any attributes of the relationship  $R$  to the total side.
  - If both sides are total merge the two relation into a new relation  $E$  and choose either  $PK(A)$  as  $PK(B)$  as the new PK. Add any attributes of the relationship  $R$  to the new relation  $E$ .

CS425 – Fall 2016 – Boris Glavic

7.65

©Silberschatz, Korth and Sudarshan



## ER-model to Relational Summary (Cont.)


- Rule 4) Binary relationship  $R$  between  $A$  and  $B$ : one-to-many/many-to-one**
  - Add PK of the "one" side as foreign key to the "many" side.
  - Add any attributes of the relationship  $R$  to the "many" side.
- Rule 5) Binary relationship  $R$  between  $A$  and  $B$ : many-to-many**
  - Create a new relation  $R$ .
  - Add PK's of  $A$  and  $B$  as attributes + plus all attributes of  $R$ .
  - The primary key of the relationship is  $PK(A) + PK(B)$ . The PK attributes of  $A/B$  form a foreign key to  $A/B$
- Rule 6) N-ary relationship  $R$  between  $E_1 \dots E_n$** 
  - Create a new relation.
  - Add all the PK's of  $E_1 \dots E_n$ . Add all attributes of  $R$  to the new relation.
  - The primary key or  $R$  is  $PK(E_1) \dots PK(E_n)$ . Each  $PK(E_i)$  is a foreign key to the corresponding relation.

CS425 – Fall 2016 – Boris Glavic

7.66


©Silberschatz, Korth and Sudarshan





## Extended ER Features



CS425 – Fall 2016 – Boris Glavic 7.73 ©Silberschatz, Korth and Sudarshan



## Extended E-R Features: Specialization

- Top-down design process; we designate subgroupings within an entity set that are distinctive from other entities in the set.
- These subgroupings become lower-level entity sets that have attributes or participate in relationships that do not apply to the higher-level entity set.
- Depicted by a *triangle* component labeled ISA (E.g., *instructor* “is a” *person*).
- **Attribute inheritance** – a lower-level entity set inherits all the attributes and relationship participation of the higher-level entity set to which it is linked.


CS425 – Fall 2016 – Boris Glavic 7.74 ©Silberschatz, Korth and Sudarshan

## Extended ER Features: Generalization

- **A bottom-up design process** – combine a number of entity sets that share the same features into a higher-level entity set.
- Specialization and generalization are simple inversions of each other; they are represented in an E-R diagram in the same way.
- The terms specialization and generalization are used interchangeably.


CS425 – Fall 2016 – Boris Glavic 7.76 ©Silberschatz, Korth and Sudarshan



## Specialization and Generalization (Cont.)

- Can have multiple specializations of an entity set based on different features.
- E.g., *permanent\_employee* vs. *temporary\_employee*, in addition to *instructor* vs. *secretary*
- Each particular employee would be
  - a member of one of *permanent\_employee* or *temporary\_employee*,
  - and also a member of one of *instructor*, *secretary*
- The ISA relationship also referred to as **superclass - subclass** relationship


CS425 – Fall 2016 – Boris Glavic 7.77 ©Silberschatz, Korth and Sudarshan




## Design Constraints on a Specialization/Generalization

- Constraint on which entities can be members of a given lower-level entity set.
  - condition-defined
    - Example: all customers over 65 years are members of *senior-citizen* entity set; *senior-citizen* ISA *person*.
  - user-defined
- Constraint on whether or not entities may belong to more than one lower-level entity set within a single generalization.
  - **Disjoint**
    - an entity can belong to only one lower-level entity set
    - Noted in E-R diagram by having multiple lower-level entity sets link to the same triangle
  - **Overlapping**
    - an entity can belong to more than one lower-level entity set


CS425 – Fall 2016 – Boris Glavic 7.78 ©Silberschatz, Korth and Sudarshan



- ### Design Constraints on a Specialization/Generalization (Cont.)
- **Completeness constraint** – specifies whether or not an entity in the higher-level entity set must belong to at least one of the lower-level entity sets within a generalization.
    - **total**: an entity must belong to one of the lower-level entity sets
    - **partial**: an entity need not belong to one of the lower-level entity sets
- CS425 – Fall 2016 – Boris Glavic 7.80 ©Silberschatz, Korth and Sudarshan



- ### Aggregation (Cont.)
- Relationship sets *eval\_for* and *proj\_guide* represent overlapping information
    - Every *eval\_for* relationship corresponds to a *proj\_guide* relationship
    - However, some *proj\_guide* relationships may not correspond to any *eval\_for* relationships
      - ↳ So we can't discard the *proj\_guide* relationship
  - Eliminate this redundancy via *aggregation*
    - Treat relationship as an abstract entity
    - Allows relationships between relationships
    - Abstraction of relationship into new entity
- CS425 – Fall 2016 – Boris Glavic 7.82 ©Silberschatz, Korth and Sudarshan



- ### Representing Specialization via Schemas
- Method 1:
    - Form a relation schema for the higher-level entity
    - Form a relation schema for each lower-level entity set, include primary key of higher-level entity set and local attributes
- | schema   | attributes             |
|----------|------------------------|
| person   | ID, name, street, city |
| student  | ID, tot_cred           |
| employee | ID, salary             |
- Drawback: getting information about, an *employee* requires accessing two relations, the one corresponding to the low-level schema and the one corresponding to the high-level schema
- CS425 – Fall 2016 – Boris Glavic 7.84 ©Silberschatz, Korth and Sudarshan

## Representing Specialization as Schemas (Cont.)

- Method 2:
  - Form a single relation schema for each entity set with all local and inherited attributes
 

schema	attributes
person	ID, name, street, city
student	ID, name, street, city, tot_cred
employee	ID, name, street, city, salary
  - If specialization is total, the schema for the generalized entity set (*person*) not required to store information
    - Can be defined as a "view" relation containing union of specialization relations
    - But explicit schema may still be needed for foreign key constraints
  - Drawback: *name*, *street* and *city* may be stored redundantly for people who are both students and employees

CS425 – Fall 2016 – Boris Glavic 7.85 ©Silberschatz, Korth and Sudarshan

## Representing Specialization as Schemas (Cont.)

- Method 3:
  - Form a single relation schema for each entity set with all local and inherited attributes
    - For total and disjoint specialization add a single "type" attribute that stores the type of an entity
 

schema	attributes
person	ID, type, name, street, city, tot_cred, salary
    - For partial and/or overlapping specialization add multiple boolean "type" attributes
 

schema	attributes
person	ID, isEmployee, isStudent, name, street, city, tot_cred, salary
  - Drawback: large number of NULL values, potentially large relation

CS425 – Fall 2016 – Boris Glavic 7.86 ©Silberschatz, Korth and Sudarshan

## Schemas Corresponding to Aggregation

- To represent aggregation, create a schema containing
  - primary key of the aggregated relationship,
  - the primary key of the associated entity set
  - any descriptive attributes

CS425 – Fall 2016 – Boris Glavic 7.87 ©Silberschatz, Korth and Sudarshan

## Schemas Corresponding to Aggregation (Cont.)

- For example, to represent aggregation manages between relationship *works\_on* and entity set *manager*, create a schema *eval\_for* (*s\_ID*, *project\_id*, *i\_ID*, *evaluation\_id*)

CS425 – Fall 2016 – Boris Glavic 7.88 ©Silberschatz, Korth and Sudarshan

## ER-model to Relational Summary (Cont.)

- Rule 8) Specialization of  $E$  into  $S_1, \dots, S_n$  (method 1)**
  - Create a relation for  $E$  with all attributes of  $E$ . The PK of  $E$  is the PK.
  - For each  $S_i$  create a relation with PK( $E$ ) as PK and foreign key to relation for  $E$ . Add all attributes of  $S_i$  that do not exist in  $E$ .
- Rule 9) Specialization of  $E$  into  $S_1, \dots, S_n$  (method 2)**
  - Create a relation for  $E$  with all attributes of  $E$ . The PK of  $E$  is the PK.
  - For each  $S_i$  create a relation with PK( $E$ ) as PK and foreign key to relation for  $E$ . Add all attributes of  $S_i$ .
- Rule 10) Specialization of  $E$  into  $S_1, \dots, S_n$  (method 3)**
  - Create a new relation with all attributes from  $E$  and  $S_1, \dots, S_n$ .
  - Add single attribute type or a boolean type attribute for each  $S_i$
  - The primary key is PK( $E$ )

CS425 – Fall 2016 – Boris Glavic 7.89 ©Silberschatz, Korth and Sudarshan

## ER-model to Relational Summary (Cont.)

- Rule 11) Aggregation: Relationship  $R_1$  relates entity sets  $E_1, \dots, E_n$ . This is related by relationship  $A$  to an entity set  $B$** 
  - Create a relation for  $A$  with attributes PK( $E_1$ ) ... PK( $E_n$ ) + all attributes from  $A$  + PK( $B$ ). PK are all attributes except the ones from  $A$

CS425 – Fall 2016 – Boris Glavic 7.90 ©Silberschatz, Korth and Sudarshan



## ER Design Decisions

- The use of an attribute or entity set to represent an object.
- Whether a real-world concept is best expressed by an entity set or a relationship set.
- The use of a ternary relationship versus a pair of binary relationships.
- The use of a strong or weak entity set.
- The use of specialization/generalization – contributes to modularity in the design.
- The use of aggregation – can treat the aggregate entity set as a single unit without concern for the details of its internal structure.

CS425 – Fall 2016 – Boris Glavic

7.91

©Silberschatz, Korth and Sudarshan



## How about doing another ER design interactively on the board?

Partially taken from  
Klaus R. Dittrich


modified from:

Database System Concepts, 6<sup>th</sup> Ed.

©Silberschatz, Korth and Sudarshan  
See [www.db-book.com](http://www.db-book.com) for conditions on re-use



## Summary of Symbols Used in E-R Notation




CS425 – Fall 2016 – Boris Glavic

7.93

©Silberschatz, Korth and Sudarshan



## Symbols Used in ER Notation (Cont.)



CS425 – Fall 2016 – Boris Glavic

7.94



©Silberschatz, Korth and Sudarshan



## Alternative ER Notations

- Chen, IDE1FX, ...

entity set E with  
simple attribute A1,  
composite attribute A2,  
multivalued attribute A3,  
derived attribute A4,  
and primary key A1



CS425 – Fall 2016 – Boris Glavic

7.95


©Silberschatz, Korth and Sudarshan



## Alternative ER Notations

Chen

IDE1FX (Crows feet notation)



CS425 – Fall 2016 – Boris Glavic

7.96

©Silberschatz, Korth and Sudarshan



## UML

- **UML:** Unified Modeling Language
- UML has many components to graphically model different aspects of an entire software system
- UML Class Diagrams correspond to E-R Diagram, but several differences.

CS425 – Fall 2016 – Boris Glavic 7.97 ©Silberschatz, Korth and Sudarshan

## ER vs. UML Class Diagrams

ER Diagram Notation	Equivalent in UML
entity with attributes (simple, composite, multivalued, derived)	class with simple attributes and methods (attribute prefixes: + = public, - = private, \$ = protected)
binary relationship	
relationship attributes	
cardinality constraints	

\*Note reversal of position in cardinality constraint depiction

CS425 – Fall 2016 – Boris Glavic 7.98 ©Silberschatz, Korth and Sudarshan

## ER vs. UML Class Diagrams

ER Diagram Notation	Equivalent in UML
n-ary relationships	
overlapping generalization	
disjoint generalization	

\*Generalization can use merged or separate arrows independent of disjoint/overlapping

CS425 – Fall 2016 – Boris Glavic 7.99 ©Silberschatz, Korth and Sudarshan

## UML Class Diagrams (Cont.)

- Binary relationship sets are represented in UML by just drawing a line connecting the entity sets. The relationship set name is written adjacent to the line.
- The role played by an entity set in a relationship set may also be specified by writing the role name on the line, adjacent to the entity set.
- The relationship set name may alternatively be written in a box, along with attributes of the relationship set, and the box is connected, using a dotted line, to the line depicting the relationship set.

CS425 – Fall 2016 – Boris Glavic 7.100 ©Silberschatz, Korth and Sudarshan

## Recap

- ER-model
  - Entities
    - Strong
    - Weak
  - Attributes
    - Simple vs. Composite
    - Single-valued vs. Multi-valued
  - Relationships
    - Degree (binary vs. N-ary)
  - Cardinality constraints
  - Specialization/Generalization
    - Total vs. partial
    - Disjoint vs. overlapping
  - Aggregation

CS425 – Fall 2016 – Boris Glavic 7.101 ©Silberschatz, Korth and Sudarshan

## Recap Cont.

- ER-Diagrams
  - Alternative notations
- UML-Diagrams
- Design decisions
  - Multi-valued attribute vs. entity
  - Entity vs. relationship
  - Binary vs. N-ary relationships
  - Placement of relationship attributes
  - Total 1-1 vs. single entity
- ER to relational model
  - Translation rules

CS425 – Fall 2016 – Boris Glavic 7.102 ©Silberschatz, Korth and Sudarshan



## End of Chapter 7

Partially taken from  
Klaus R. Dittrich

modified from:  
Database System Concepts, 6<sup>th</sup> Ed.  
©Silberschatz, Korth and Sudarshan  
See [www.db-book.com](http://www.db-book.com) for conditions on reuse



## Outline

- Introduction
- Relational Data Model
- Formal Relational Languages (relational algebra)
- SQL - Advanced
- **Database Design – Database modelling**
- Transaction Processing, Recovery, and Concurrency Control
- Storage and File Structures
- Indexing and Hashing
- Query Processing and Optimization

CS425 – Fall 2016 – Boris Glavic

7.104

©Silberschatz, Korth and Sudarshan



### Figure 7.01

76766	Crick
45565	Katz
10101	Srinivasan
98345	Kim
76543	Singh
22222	Einstein

*instructor*

98988	Tanaka
12345	Shankar
00128	Zhang
76543	Brown
76653	Aoi
23121	Chavez
44553	Peltier

*student*


CS425 – Fall 2016 – Boris Glavic

7.105

©Silberschatz, Korth and Sudarshan



### Figure 7.02



*instructor*

*student*


CS425 – Fall 2016 – Boris Glavic

7.106

©Silberschatz, Korth and Sudarshan



### Figure 7.03



*instructor*

*student*


CS425 – Fall 2016 – Boris Glavic

7.107

©Silberschatz, Korth and Sudarshan



### Figure 7.04



composite attributes

component attributes

CS425 – Fall 2016 – Boris Glavic

7.108

©Silberschatz, Korth and Sudarshan

